

Bentley University Tuberculosis (TB) Medical Provider Form

[This form is only required if the Tb Risk Assessment had a "yes" response.]

Name: _____ Male _____ Female _____
Last First M. I.

Date: ___/___/___ DOB: ___/___/___ Country of Birth: _____

Home Address: _____

Phone Number: (home) _____ (cell) _____

Step 1. Tuberculin Skin Test (TST) – Must be performed within 12 months of enrollment. If this test has been previously done and resulted "positive" OR you have received BCG, skip to Step 2.

Plant date: ___/___/___ Read date*: ___/___/___ Result**: _____ mm of induration " Positive Negative

*48-72 hours after plant date ** See interpretation guidelines below. " If positive, continue below.

Step 2: If *POSITIVE* Tuberculin Skin Test (now or by history or BCG vaccination), Blood Testing for Tuberculosis is required:

Date of IGRA (QuantIFERON Gold or T-Spot Blood Test): ___/___/___ Result: _____

*Must provide the actual lab results from the laboratory testing facility OR Provider signed documentation.

Step 3: If *POSITIVE* IGRA testing in Step 2, a Chest X-ray is required:

Date of Chest X-ray: ___/___/___ Result (Circle one): Normal Abnormal (attach Report, NOT the X-ray)

Clinical Evaluation: _____ Normal _____ Abnormal

Describe: _____

Treatment: _____ No _____ Yes

If Yes, Drug/s, dose frequency, and dates: _____

Health Care Provider

Name: _____ Address: _____

Signature: _____ Phone: _____

**Interpretation Guidelines		
<p>5 mm or greater is positive:</p> <ul style="list-style-type: none"> Recent close contacts of an individual with infectious TB Persons with fibrotic changes on a prior chest x-ray consistent with past TB disease Organ transplant recipients Immunosuppressed person: taking > 1 month; taking a <i>TNF-α</i> antagonist Persons with HIV/AIDS 	<p>10 mm or greater is positive:</p> <ul style="list-style-type: none"> Persons born in a high prevalence country or who resided in one for a significant amount of time History of illicit drug use Mycobacteriology laboratory personnel History of resident, worker or volunteer in high-risk congregate settings Persons with the following clinical conditions: silicosis, diabetes mellitus, chronic renal failure, leukemias and lymphomas, head, neck or lung cancer, low body weight (>10% below ideal), gastrectomy or intestinal bypass, chronic malabsorption syndromes 	<p>15 mm or greater is positive:</p> <ul style="list-style-type: none"> Persons with no known risk factors for TB disease